| | |
|---|---|
| **SYSTEM NO.** | **SSXFD383** |
| **DESCRIPTION** | Particulate Filter-back |
| **NOTES** | Requires Maxton Diffuser |


## PARTS REQUIRED

| PART NO. | DESCRIPTION | QUANTITY | IN PACKAGE |
|---|---|---|---|
| **MSFD123** | **Adaptor to fit Milltek to OE System** | **1** | |
| CHC48SS | 48mm Band Clamp - 304 S/S | 1 | |
| **MSFD200** | **Over-Axle Pipe** | **1** | |
| CHC63SS | 63mm Band Clamp 304 S/Steel | 1 | |
| **MSFD242REP** | **Rear Silencer Replacement Pipe** | **1** | |
| CHC63SS | 63mm Band Clamp 304 S/Steel | 1 | |
| **MSFD275** | **Tail Pipe** | **1** | |
| 8MMWASHER | 8mm Flat Washer Bzp | 3 | |
| CHC66.5SS | 66.5mm Band Clamp-304 S/Steel | 1 | |
| EBC4499 | Mounting Rubber | 1 | |
| F7066 | Loose Mounting Cradle | 1 | |
| F7093 | Mounting Bracket | 1 | |
| M8BZPFLNUT | M8 Bzp Flange Nut Serrated Only | 6 | |
| M8X16BZP | M8X16mm Bzp Set Screw-Zinc Pl. | 2 | |
| M8X35BZP | M8 X 35mm Bzp Hex Setzinc | 1 | |
| **MSFD279** | **Link Pipe for Maxton Dual System** | **1** | |
| CHC63SS | 63mm Band Clamp 304 S/Steel | 1 | |
| **MSTIP199** | **4.0" Polished Tips** | **2** | |
| CHC66.5SS | 66.5mm Band Clamp-304 S/Steel | 2 | |

MILLTEK

## TECHNICAL INFORMATION

## OE CUTTING INSTRUCTIONS




## MSFD245 CUTTING INSUTRUCTIONS





Master Copy Approved By: MILLTEK

MILLTEK

CUT 165MM OFF THE LONG OUTLET FROM THE MSFD245 AND REMOVE ANY BURRS AND SHARP EDGES FROM CUTTING

## BUMPER SUPPORT BAR & MOUNTING BRACKET





Master Copy Approved By: MILLTEK

USE THE M8 X 35MM LONG BOLT TO ATTACH THE BUMPER SUPPORT, THIS PROVIDES 3 LEVEL SUPPOORTS FOR THE MOUNTING BRACKET

ATTACHED THE BRACKET SUPPLIED ONTO THE BOLTS ANSD SECURE USING FLANGE NUTS